



DYNACLEAN INDUSTRIES

CONTACT US:-



011-45143666
+91 93153 27809



www.dynacleanindustries.com



sales@dynacleanindustries.com



About Us

DYNACLEAN INDUSTRIES PVT. LTD. is a leading name in the Indian cleaning equipment industry, known for delivering high-performance and innovative cleaning solutions. We specialize in both manufacturing and trading of a wide range of professional cleaning machines designed to meet industrial, commercial, and municipal cleaning needs.

With a strong presence Pan-India, our machines are already trusted and operational in major sectors including Delhi Metro, Aerocity, Indian Railways, Airports, and Government Infrastructures, Municipal departments.

What We Offer



Comprehensive Cleaning Solutions:

From Road Sweepers, Ride-on Scrubber Driers, Industrial Vacuum Cleaners, High Pressure Jet Washers to Escalator Cleaners, we offer a complete range of machines designed for performance, durability, and ease of use.



Made in India, Built for the World:

Our machines are proudly Made in India using the latest technologies, ensuring global standards in quality, efficiency, and safety.



Innovation & Customization:

We believe every cleaning challenge is unique. That's why we also offer custom-built solutions tailored to specific industrial or municipal needs.



After-Sales Support & Service:

Our dedicated service network and professional team ensure timely support, AMC options, and on-site service, keeping your operations running smoothly.

Why Choose Us

At DYNACLEAN INDUSTRIES PVT. LTD., we go beyond just supplying cleaning machines — we deliver quality, performance, and trust. Here's why clients across India choose us as their preferred cleaning equipment partner:



Trusted by Top Sectors



Technology-Driven & Eco-Friendly



In-House Manufacturing Excellence



Prompt After-Sales Service



Complete Range Under One Roof



Commitment to Quality & Innovation



Pan India Network

VACUUM CLEANERS



DV-15



DV-30



DV-70



DV-80

Specifications	Unit	DV-15	DV-30	DV-70	DV-80
Tank Capacity	L	15	30	70	80
Voltage	V	220	220	220	220
Motor Power	W	1400	1500	2800	4200
Type	Wet/Dry	Wet & Dry	Wet & Dry	Wet & Dry	Wet & Dry
Airflow	L/S	48	53	106	120
Vacuum Suction	Mbar	210	230	250	250
Tank Diameter	mm	345	345	440	440
Height	mm	570	760	1000	1050
Wire Length	m	7	10	10	10
Weight	kg	7	12	24.5	32.1
Size	mm	410x410x600	410x410x780	620x550x1050	620x540x1070

WALK SCRUBBER DRIERS



DMOP-15P



DYNA-40



DB-9050P



DB-6070T

Specifications	Unit	DMOP-15P	DYNA-40	DB-9050P	DB-6070T
Solution Tank	L	3	40	90	65
Recovery Tank	L	3.1	35	50	71
Scrubbing Width	mm	500	460	560	530
Squeegee Width	mm	560	780	800	800
Cleaning Efficiency	m ² /h	1750	1800	2000	2200
Battery Capacity	Ah/m	18	NA	65	65
Wire Size	m	NA	15m	NA	NA
Voltage	V	24	220	24	24
Brush Motor	W	250*2	1100	500	550
Suction Motor	W	150	550	310	500
Brush Pressure	Kg	29	30	30	35
Size	mm	560x370x1140	970x540x970	1280x800x1000	1110x800x950
Weight	Kg	38	65	137	102
Working Time	h	1.5-2	NA	3-4	3-4

RIDE ON SCRUBBER DRIERS



DRO-8085



DRO-100P



DRO-100T



DRO-200T

Specifications	Unit	DRO-8085	DRO-100P	DRO-100T	DRO-200T
Solution Tank	L	80	95	90	200
Recovery Tank	L	85	100	100	220
Scrubbing Width	mm	530	360X2	350X2	560X2
Squeegee Width	mm	850	900	920	1250
Cleaning Efficiency	m2/h	3600	4000	4900	10000
Battery Capacity	Ah/m	75	100	100	100
Voltage	V	24	24	24	24
Brush Motor	W	500	350X2	380X2	500X2
Suction Motor	W	500	310	500	650
Drive Motor	W	500	500	500	1200
Water Gun Motor	W	-	-	120	120
Size	mm	1265x600x1030	1340x900x1260	1460x1030x1110	1640x1250x1440
Weight	Kg	180	220	190	280
Working Time	h	4-5	4-5	4-5	4-5

SWEEPERS



DS2-55



DSE-55



DRS-90T



DRS-180T

Specifications	Unit	DS2-55	DSE-55	DRS-90T	DRS-180T
Solution Tank	L	NA	15	90	180
Recovery Tank	L	55	55	100	160
Sweeping Width	mm	980	850	1250	1550
Main /Side Brush Width	mm	480/2X350	700/2x350	490x300/2x460	790X300/2X500
Cleaning Efficiency	m2/h	3860	5200	7000	13000
Battery Capacity	Ah	NA	12	65X4	65×4
Working Time	h	NA	3-4	4-5	4-5
Voltage	V	NA	24	48	48
Main Brush Motor	W	NA	120	650	600
Suction Motor	W	NA	100	2X90	2X90
Drive Motor	W	NA	NA	800	2200
Side Brush Motor	W	NA	NA	90*2	90*2
Weight	Kg	27.5	90	320	570
Size	mm	1300x920x1035	1300x850x1050	1395x1250x1325	1920x1550x1350

RIDE ON SWEEPERS



DRS-250T

Specifications	Unit	DRS-250T
Sweeping Width	mm	1900
Edge Brush Width	mm	500*4
Working Hours	h	3-4
Overall Weight	kg	780
Anit-Smog Spray	y/n	Yes
Cabinet	Person	1
Main Brush Width	mm	740
Working Efficiency	m/h	14600
Hopper Volume	L	250
In-Built Jet Pressure Washer	Bar	120
Size	mm	2210x1900x1980

BATTERY OPERATED SWEEPER TRUCKS



DRS-600DT



Specifications	
Solution Tank	600L
Recovery Tank	600L
Sweeping Width	2400mm
Cleaning Efficiency (maximum)	24000m ² /hour
Number of Brushes	4
Drive Motor Power	3000kW
Vacuum Motor Power	3000kW
Maximum Sweeping Speed	10km/h
Maximum Drive Speed	25km/h
Maximum Distance Covered (8 Hours)	80km

Specifications	
Dumping Height	Manual
Dumping Type	Manual
Cabin	2 Persons
Control System	Easy Control
Battery Capacity	30kWh
Charging Time	6-8hours
Running Time	8-10hours
Safety Features	Alarm, front & rear warning lights
Charging Cost (Approx.)	₹ 300 Rupees/day
In-built Jet Pressure Washer	130Bar

Battery Operated Road Sweeper Truck

DTMS-1000EV, 2000EV, DTMS-3000EV



Specifications	DTMS-1000EV	DTMS-2000EV	DTMS-3000EV
Solution Tank	900L	900L	900L
Recovery Tank	1000L	2000L	3000L
Sweeping Width	2400 mm	2400 mm	3000 mm
Cleaning Efficiency (maximum)	24000 m2/ hour	24000 m2/ hour	30000 m2/ hour
Number of Brushes	4	4	4
Drive Motor Power	8 kW	10 kW	20 kW
Vacuum Motor Power	8 kW	10 kW	12 kW
Maximum Sweeping Speed	10 km/h	10 km/h	10 km/h
Maximum Drive Speed	25 km/h	25 km/h	25 km/h
Maximum Distance Covered (8 Hours)	80 km	80 km	80 km
Dumping Height	1 meter	1 meter	1 meter
Dumping Type	Hydraulic	Hydraulic	Hydraulic
Cabin	2 Persons	2 Persons	2 Persons - AC
Control System	Easy Control	Easy Control	Easy Control
Battery Capacity	30 kWh	36 kWh	45 kWh
Charging Time	6-8 hours	6-8 hours	6-8 hours
Running Time	8-10 hours	8-10 hours	8-10 hours
Safety Features	Alarm, Front & Rear Warning Lights, Radar Safety System	Alarm, Front & Rear Warning Lights, Radar Safety System	Alarm, Front & Rear Warning Lights, Radar Safety System
Charging Cost (Approx.)	₹ 300 Rupees/day	₹ 450 Rupees/day	₹ 500 Rupees/day
In-built Jet Pressure Washer	130 bar	130 bar	130 bar
Anti-Smog Water Spray System	Yes	Yes	Yes

Battery Operated Road Sweeper Truck

DTMS-6000EV



DTMS-6000EV

Specifications	Unit	DTMS-6000EV
Solution Tank	L	1500
Recovery Tank	L	6000
Sweeping Width	mm	3500
Cleaning Efficiency (maximum)	m ² / hour	45000
Number of Brushes	-	4
Drive Motor Power	kW	25
Vacuum Motor Power	kW	15
Maximum Sweeping Speed	km/h	10
Maximum Drive Speed	km/h	25
Maximum Distance Covered (8 Hours)	km	80
Dumping Height	meter	1
Dumping Type	-	Hydraulic
Cabin	-	2 Persons-AC
Control System	-	Easy Control
Battery Capacity	kWh	80
Charging Time	hours	6-8
Running Time	hours	8-10
Safety Features	-	Alarm, Front & Rear Warning Lights, Radar Safety System
Charging Cost (Approx.)	₹	₹ 1,000 Rupees/day
In-built Jet Pressure Washer	bar	150
Anti-Smog Water Spray System	y/n	Yes

MUNICIPAL SWEEPER – DTMS-1000 To 3000



DTMS-1000

Specifications	Unit	DTMS-1000	DTMS-2000	DTMS-3000
Chassis	Ton	3	4.5	4.5
Hopper Capacity	m3	1.2	2.5	3
Auxiliary Engine	Hp	49	76	76
Rotary Brush	mm	2x 500	2x 500	2x 500
Main brush	mm	1550	1550	1550
Main Brush Dia	mm	381	381	381
Sweeping width	mm	2300	2300	2300
Working Speed	km/h	2.0-15.0	2.0-15.1	2.0-15.2
Solution Tank	L	100	300	300
Recovery Tank	m2/h	15000	18000	18000
Vacuum Hose	m	5	5	5
Hose Dia	mm	150	150	150
High Pressure Jet Washer	-	Yes	Yes	Yes
Auxiliary Engine Fuel	-	Diesel	Diesel	Diesel
Recommended Chassis	-	TATA / MAHINDRA	TATA 407	TATA 407

MUNICIPAL SWEEPER – DTMS-4000 To 6000



DTMS-6000

Specifications	Unit	DTMS-4000	DTMS-5000	DTMS-6000
Chassis	Ton	11.2	16	16
Hopper Capacity	m3	4	5	6.5
Auxiliary Engine	Hp	76	100	110
Rotary Brush	mm	2x 500	2x 500	2x 500
Main brush	mm	1900	1900	1900
Main Brush Dia	mm	381	381	381
Sweeping width	mm	3000	3000	3000
Working Speed	km/h	2.0-15.3	2.0-15.4	2.0-15.5
Solution Tank	L	400	500	1000
Recovery Tank	m2/h	24000	26000	26000
Vacuum Hose	m	5	5	5
Hose Dia	mm	150	150	150
High Pressure Jet Washer	-	Yes	Yes	Yes
Auxiliary Engine Fuel	-	Diesel	Diesel (Turbo)	Diesel (Turbo)
Recommended Chassis	-	EICHER	TATA ULTRA	TATA ULTRA

HIGH PRESSURE JET WASHER



DJE-18



DJE-30



DJ-200



DJB-200

Specifications	Unit	DJE-18	DJE-30	DJ-200	DJB-200
Pressure	Bar	120	150	170	130
Flow Rate	L/Min	10	15	17	11
Fuel	-	Electric	Electric	Diesel	Battery
Power	kw	1.8	3	5.5	1.5
Voltage	V	220	220	NA	48
Speed	Rpm	1440	2880	3400	3000
Weight	Kg	34	50	70	65
Water Tank	L	NA	NA	200	200
Working Time	h	-	-	-	4-5
Product Size	mm	670x415x375	735x475x480	1200x900x1400	1200x800x700
Hose Length	mtr	12	15	15	15
Wire	m	3	5	-	-

SCOOTER MOP



DMS-115P

Specifications	Unit	DMS-115P
Cleaning Width	mm	900
Wheel Size	mm	250
Gradability	Degree	20
Voltage	V	24
Motor Power	W	350
Battery	Ah	18X4
Working time	h	3-4
Weight	Kg	65
Size	mm	1220x620x980

SINGLE DISC SCRUBBERS



D-15P



D-20P



D-25P



DH-2P

Specifications	Unit	D-15P	D-20P	D-25P	DH-2P
Power	Hp	1.5	2.0	2.5	2
Brush Size	mm	430	430	430	3x300
Water Tank	Ltr	10	10	10	10
Voltage	V	220	220	220	240
Brush Speed	Rpm	175	175	175	360
Brush Pressure	Kg	40	48	60	90
Weight	Kg	45	50	68	105
Size	mm	560x465x1230	560x470x1230	560x480x1230	585x680x1245

ESCALATOR CLEANERS



D-510ES

Specifications	Unit	D-510ES
Clear Water Tank	L	32
Waste Dust Tank	L	35
Scrubbing Width	mm	510
Cleaning Efficiency	m ² /h	1000
Voltage	V	220
Brush Motor	W	1600
Suction Motor	W	500
Brush Pressure	Kg	30
Cable Length	m	15
Weight	Kg	130
Size	mm	1220x620x980

BACK-PACK VACUUM CLEANER



D-BP6

Specifications	Unit	D-BP6
Power	W	1060
Vacuum	Kpa	24
Dust Tank	L	6
Air Flow	L/s	47
Weight	Kg	5.5
Size	mm	400x340x730
Wire	m	15

STEAM CLEANER



D-STEAM2

Specifications	Unit	D-STEAM2
Power	W	2000
Voltage	V	220
Clear Water Tank	L	24
Pressure	Bar	4
Weight	Kg	5.5
Size	mm	590x380x390

Our Esteemed Clients



At DYNACLEAN INDUSTRIES PVT. LTD., we are proud to be the trusted partner of some of India's most prestigious organizations. Our commitment to quality, performance, and customer satisfaction has helped us build strong relationships across various sectors.

We serve clients in Airports, Railways, Metro Projects, Municipal Corporations, Smart Cities, Government Organizations, and Private Industries



Indian Railways



दिल्ली मेट्रो रेल कॉर्पोरेशन लिमिटेड
Delhi Metro Rail Corporation Limited



LUCKNOW METRO
RAIL CORPORATION



Mumbai Metro



Indian Air Force



Indian Navy



Indian Army



India Trade Promotion ORG.



MAX
Healthcare




DELHI INDIRA GANDHI
INTERNATIONAL AIRPORT



Our Pan India Network

- Andhra Pradesh
- Telangana
- Karnataka
- Tamil Nadu
- Kerala
- Gujarat
- Maharashtra
- West Bengal
- Odisha
- Jammu Kashmir
- Punjab
- Himachal Pradesh
- Chandigarh
- Uttar Pradesh
- Uttarakhand
- Rajasthan



DYNACLEAN INDUSTRIES PVT LTD.

1st Floor, 13-B, Kattabomman Street, Gandhi Nagar Road
Gandhi Nagar, Ganapathy, Coimbatore, Tamil nadu
Pin- 641006

Tel- 011-45143666, +91 93153 27809

Mail: info@dynacleanindustries.com, Sales@dynacleanindustries.com

Website: www.dynacleanindustries.com

Dynaclean Industries Pvt. Ltd.
3rd Floor, PLOT No-9, Block-B, Pocket-3
Sector-17, Dwarka, New Delhi-110078